



AKITAKITSUNE

50003 BROWN



HOSO-SODE

50281 BROWN




SUPER-KISU

50258 WHITE



SHIRO-KITSUNE

50240 WHITE



AJI B

50015 GOLD




AJI B-D

50482 GOLD




UNAGI

50060 BROWN



BAY CHINU


56529 DARK BROWN



PIN HOOK

50922 BLACK CHROME


SIZE:18~4



PIN HOOK


53135 GOLD

SIZE:14~4




PINT-S HOOK

51789



MOSQUITO BAIT HOOK

5177 BLACK CHROME




OWNER
PERFECTION IN HOOKS

Cultiva
PRODUCED BY OWNER


CHINU with EYE

50355 BLACK CHROME FORGED RINGED TWISTED




YAMAJIN with EYE

53853 BLACK CHROME FORGED RINGED TWISTED




ISEAMA with EYE

50188 BLACK CHROME FORGED RINGED





ISEAMA-BL with EYE

50168 BLACK CHROME RINGED BARBLESS **BARBLESS** Love Fish!



ISEAMA X w/ EYE

56501 BLACK CHROME FORGED RINGED




NO ESCAPE HOOK BARBLESS

4106 BLACK CHROME RING EYE BARBLESS FORGED **BARBLESS** Love Fish!




GORILLA LIGHT

5107 BLACK CHROME



OC GORILLA


5105 BLACK CHROME



OH-SSW


5115 RED

5115 BLACK CHROME
TAMANHOS: #8-7/0



SSW with CUTTING POINT

5111 BLACK CHROME



MUTU LIGHT CIRCLE HOOK


5114 BLACK CHROME

TAMANHOS: #10-7/0




5114 RED

TAMANHOS: #6-7/0




SSW IN-LINE CIRCLE

5179 BLACK CHROME



TOURNAMENT MUTU

5174 BLACK CHROME



MUTU LIGHT CIRCLE HOOK


5114 BLACK CHROME

TAMANHOS: #10-7/0




5114 RED

TAMANHOS: #6-7/0




SSW IN-LINE CIRCLE

5179 BLACK CHROME




TOURNAMENT MUTU

5174 BLACK CHROME



OC FLYLINER

5106 BLACK CHROME




RINGED FLYLINER

5106R BLACK CHROME




AKI HOOK

5170 BLACK CHROME



K HOOK

5173 BLACK CHROME



OWNER

PERFECTION IN HOOKS

Cultiva

PRODUCED BY OWNER

S-61 SINGLE HOOK 61

51576 BLACK CHROME



#2 #1/0 #3/0 #5/0

S-75M SINGLE S-75M

51642 BLACK CHROME



#6 #4 #2 #1 #1/0 #2/0

S-125M PLUGGING SINGLE

51781




#1/0 #2/0 #3/0 #4/0 #5/0 #7/0 #9/0

S-135M BLUE PLUGGER

51716

COLOR : TIN

AREA	MODEL#	SIZE
World No.	51716	#5/0 - #13/0



#5/0 #6/0 #7/0 #8/0 #9/0 #11/0 #13/0


OWNER
PERFECTION IN HOOKS

Cultiva
PRODUCED BY OWNER

JOBU BIG GAME
5134



COLOR : ANTI-RUST BLACK



7/0



8/0



9/0



10/0



11/0



12/0

OWNER
PERFECTION IN HOOKS

Cultiva
PRODUCED BY OWNER

SUPER MUTU

5127 BLACK CHROME  



#12/0

#14/0

#16/0

OFFSHORE

5129 BLACK CHROME 



#2/0

#3/0

#4/0

#5/0

#6/0

#7/0

#8/0

#9/0




#10/0

#11/0

#12/0


B-74 DOWN SHOT HOOK SP

11581 RED




B-75 WACKY HOOK

5172P FOREST GREEN




B-31 STRAIGHT WORM

5100 BLACK CHROME




B-11 OFFSET WORM

5101 BLACK CHROME




B-73 DOWN SHOT OFFSET

5133 BLACK CHROME





B-51 RIG'N HOOK

5137 BLACK CHROME



B-91 OKAPARI HOOK J HOOK

5140 BLACK CHROME




56555 UV KEIMURA

TACHIHO SABER X - UV




EXEMPLO ILUSTRATIVO



OVER SIZE HOOK

5110 BLACK CHROME




#7/0

#11/0

5167 UNWEIGHTED TWISTLOCK LIGHT



BLACK CHROME



1/0


2/0

3/0

4/0

5/0


6/0



5199 TWISTLOCK JIG RIG w/ LEAD SINKER / JR-30



BLACK CHROME



Peso (oz/g)
3/16 (5.3g)
1/4 (7g)

5164 FLASH SWIMMER



5164 BLACK CHROME	
Tamanho	Peso (oz/g)
1/0	1/8 (3.5g)
3/0	3/16 (5.3g)
5/0	1/4 (7g)
8/0	3/8 (10.6g)
10/0	1/2 (14.15g)
12/0	3/4 (21.25g)



90
85
80
75
70
65
60
55
50
45
40
35
30
25
20
15
10
5
0




5130 TWISTLOCK BEAST



COLOR : **BLACK CHROME**

MODEL# 5130 SIZE #4/0 - #12/0




5130W WEIGHTED TWISTLOCK BEAST



MODEL NO. SIZE WEIGHT (oz)

5130W-024	4/0	1/8	(3.5g)
5130W-046	6/0	1/4	(7g)
5130W-068	8/0	3/8	(10g)
5130W-080	10/0	1/2	(14g)
5130W-122	12/0	3/4	(20g)

MODEL# 5130W SIZE #4/0 #12/0



OWNER[®]



PERFECTION IN HOOKS

Cultiva[™]

PRODUCED BY OWNER

5132W WIEGHTED TWIST LOCK / TL-12

Tamanho	Peso (oz/g)
3/0	1/16 (1.8g)
4/0 - 5/0	1/8 (3.5g)




WFS-10 SWING BLADE



WT.OZ	GRAMAS	ANZOL
1/8	3.5gr	#2
1/4	7gr	#1/0
3/8	10gr	#2/0
1/2	14gr	#2/0

5168 TWISTLOCK FLIPPING HOOK

COLOR MAGIC FLUORINE





SK-8 CONE SINKER



EH-10 ENTA HOOK




B-99-11799 MULTI OFFSET



JH-88 BALANCE HEAD

11753 GUN BLACK



JH-14 BRUSH HEAD

11771 GUN BLACK



Tamanho	Peso (oz/g)
1/0	1/8 (3.5g)
2/0	3/16 (5.3g)
2/0	1/4 (7g)


すり抜け抜群!!
ブラシにこだわり!



JH-38 ULTRA HEAD FINESSE TYPE

5149 GUN BLACK

Tamanho	Peso (oz/g)
1	1/8 (3.5g)
1	1/16 (1.75g)
1	1/32 (0.87g)
2/0	1/8 (3.5g)
2/0	1/16 (1.75g)
2/0	3/16 (5.25g)




4100 JUNGLE FLIPPING HOOK



NEW


AREA	MODEL#	SIZE
World No.	4100	#3/0 - #5/0

COLOR : MAGIC FLUORINE



90° JIG ROUND BEND

5318 BLACK



JH-28 90° JIG ROUND BEND - UNITÁRIO

BLACK





TAMANHO

1/0
2/0
3/0
4/0
5/0




SLED HEAD

5142 GUN BLACK




JF-25 JIGGER LIGHT SHIWARI JF-25

11759 SILVER




JF-27 JIGGER LIGHT SHIWARI JF-27

11774 SILVER





SJ-38 STINGER JIGGING HOOK

11746 SILVER



SJ-41 STINGER JIGGING HOOK

11766 SILVER



OWNER[®]


PERFECTION IN HOOKS

Cultiva[™]

PRODUCED BY OWNER

SJ-51 STINGER JIGGING HOOK

11648 SILVER



SF-50S SINGLE FRONT HOOK 50 SHORT

11582



6	110lb
2	110lb
1/0	140lb
2/0	140lb
4/0	140lb
5/0	180lb



DANCING STINGER MONSTER VERSION

5283 TITANIUM GOLD


5/0	240lb
7/0	240lb
9/0	240lb

HOOK SJ-51TG




DH-48 / 11613 DANSA SUPPORT HOOK

TAMANHO
1/0
2/0



DH-26 / 11686 ENTO DANSA HOOK


TAMANHO
M
L




WF-21 WIRE CORE SUPPORT HOOK

11695

Powerflex
WIRE CORE




ワイヤー内蔵



SSF41 / 5292 SHORT JIG ASSIST / DUAL DANCING STINGER - Junior

11772 SILVER



OWNER[®]

PERFECTION IN HOOKS

Cultiva[™]

PRODUCED BY OWNER

5284SBK DANCING STINGER SABIKI GLOW

TAMANHO
3/0
5/0
7/0




5284XS SUPPORT HOOK EXTRA SHORT

TAMANHO
1/0
2/0



66070 POWER FLEX WIRE CORE

GLOW	
LINETEST	LENGTH
50lb	4m
90lb	4m
120lb	4m
150lb	3m




PFP-03 PE ASSIST LINE No.66087

Fluorocarbon core line for jigging assist line
Prevent hook tangle to jigs




55lb 105lb 155lb 215lb 300lb

Example




TF-W2 WIRE LEADER

31869



10cm ワイヤー 18cm

QUICK SNAP TOURNAMENT SNAP



30298 SUIKOMI (CHUVEIRINHO)


TAMANHO
14
12
10
8
6
4



11670 / KF-30P-01

KABUTO HOOK (GLOW SKIN)


- With PF-01 assist line
- Ideal for light shore jigging



4220 / JT-27

DUAL DANCING STINGER - GUARDIAN

- TAFF WIRE JF-27 hook with tangle-less fluorocarbon core PFP-03 assist line
- Curve point penetrate fish mouth automatically with jig weight
- Ideal for slow jigging



11768 / JD-25

JIGGER LIGHT DANSA HOLD

- TAFF WIRE JF-25 hook with tangle-less fluorocarbon core assist line
- Unbalanced hook position for more hook-up ratio
- No escape gape shape once penetrate





Proud of **SHARPNESS** To Achieve **PERFECTION IN HOOKS**.






TABELA DE RESISTÊNCIA

EX FINE

FINE

MEDIUM

HEAVY

EX HEAVY

CATEGORIA 1

CATEGORIA 2

CATEGORIA 3

CATEGORIA 4

CATEGORIA 5

CATEGORIA 6

CATEGORIA 7

ST-11
ST-1.56

ST-26TN

ST-31
STBL-31TN
ST-36BC
STBL-36BC
STY-35MF

ST-41TN
STBL-41TN
ST-46
STBL-46TN
ST-47TN

ST-56
STBL-56

ST-66
STBL-66

ST-76

STX-58 STX-68

STX-38ZN STX-45ZN

Entenda a classificação das Garatéis OWNER-CULTIVA
1X-2X-3X...significa padrão de espessura ou diâmetro
O primeiro N°. se refere à resistência e o segundo N°. ao modelo:
Ex. (36) força 3 / (36) 6 = mais curvado
 (A espessura do aço-carbono não significa resistência, isso depende de cada fabricante, ou seja, na qualidade da forja do aço, esse é o segredo da OWNER)

TABELA PARA TAMANHO DAS ISCAS

MEDIDA DA ISCA	~	40	60	80	100	120
TAMANHO DA GARATÉIA	•••18•16•14	12•10•8•6	5•4•3	2•1•1/0•2/0•••	ISCAS DE 2 GARATÉIAS	

PARA ÁGUA DOCE ST-36, ÁGUA SALGADA DE ST-46 EM DIANTE

ISCAS DE 3 GARATÉIAS UTILIZE UMA MEDIDA MENOR CORRESPONDENTE

SIGNIFICADO DA NOMENCLATURA (CÓDIGO) DAS GARATÉIAS CULTIVA (STINGER TREBLES SERIES)

Stinger Treble
ST-36 BC
 SEM FARPA (BARB LESS) BL [STBL]

No	CLASSE DE FORÇA
1	EXTRA-FINESSE
2	FINESSE
3	MEDIUM
4	MEDIUM HEAVY
5	HEAVY
6	EXTRA HEAVY

表示	ACABAMENTO
BC	BLACK CROME (PRETO CROMADO)
TN	PRATA-TIN

形状No	ESTILO DE CURVA
1	CURVADO
6	RETO

SD-36 STINGER DOUBLE

5632 TIN

Double HOOK ダブルフック

FORGED NORMAL TIP

10 8 6 4 2 1 1/0 2/0 3/0



ST-36BC STINGER TREBLE

5636 GUN BLACK

POWER CLASS 3 STB

FORGED NORMAL TIP TEAR DROP EYE POWER WELD

14 12 10 8 6 4 2 1 1/0



ST-36RD STINGER TREBLE

5636 RED

POWER CLASS 3 STB

FORGED NORMAL TIP TEAR DROP EYE POWER WELD

18 16 14 12 10 8 6 4 2



STY-35 MF STINGER TREBLE SHORT SHANK

5635

MAGIC マジック フツッ素 FUSO

FORGED NORMAL TIP TEAR DROP EYE

POWER CLASS 3

150 PPP

6 4 2 1



EX FINE FINE MEDIUM HEAVY EX HEAVY

CATEGORIA 1	CATEGORIA 2	CATEGORIA 3	CATEGORIA 4	CATEGORIA 5	CATEGORIA 6	CATEGORIA 7
ST-11 ST-1.56	ST-26TN	ST-31 STBL-31TN ST-36BC STBL-36BC	ST-41TN STBL-41TN ST-46 STBL-46TN ST-47TN	ST-56 STBL-56	ST-66 STBL-66	ST-76
				STX-58	STX-68	



STX-38ZN STINGER TREBLE EXTRA

5638 ZINCO

POWER CLASS 3



14 12 10 8 6 5 4 2



ST-41 TN STINGER TREBLE

5641 TIN

POWER CLASS 4

STB



10 8 6 4 2 1

30
25
20
15
10
5
0



ST-41 BC STINGER TREBLE

5641 BLACK CHROME

POWER CLASS 4

STB



4



STN-46 BC STINGER TREBLE

51780 BLACK CHROME

POWER CLASS 4

STB



10 8 6

45
40
35
30
25
20
15
10
5
0



EX FINE FINE MEDIUM HEAVY EX HEAVY



CATEGORIA 1	CATEGORIA 2	CATEGORIA 3	CATEGORIA 4	CATEGORIA 5	CATEGORIA 6	CATEGORIA 7
ST-11 ST-1.56	ST-26TN	ST-31 STBL-31TN ST-36BC STBL-36BC	ST-41TN STBL-41TN ST-46 STBL-46TN ST-47TN	ST-56 STBL-56	ST-66 STBL-66	ST-76 STBL-76
					STX-58	STX-68

OWNER

PERFECTION IN HOOKS

Cultiva

PRODUCED BY OWNER

STX-45ZN STINGER TREBLE EXTRA

5645 ZINCO

POWER CLASS 4



10 8 6 5 4 3 2 1



ST-46 RD STINGER TREBLE

5646 RED

POWER CLASS 4

STB



8 6 5 4 3



ST-47 TG STINGER TREBLE

5647 TITANIUM GOLD

POWER CLASS 4

STB



10 8 6 4 2 1 1/0

ST-56 STINGER TREBLE

5656 TIN

POWER CLASS 5

STB



6 4 2 1 1/0



EX FINE

FINE

MEDIUM

HEAVY

EX HEAVY

CATEGORIA 1

CATEGORIA 2

CATEGORIA 3

CATEGORIA 4

CATEGORIA 5

CATEGORIA 6 CATEGORIA 7

ST-11
ST-1.56

ST-26TN

ST-31
STBL-31TN
ST-36BC
STBL-36BC

ST-41TN
STBL-41TN
ST-46
STBL-46TN
ST-47TN

ST-56
STBL-56
ST-66
STBL-66
STX-58
STX-68

ST-76



STX-58 TN STINGER TREBLE EXTRA


5658 TIN



POWER CLASS 5+

The Next Generation!!

- AÇO CARBONO MAIS FINO ● MAIOR RESISTÊNCIA
- CATEGORIA DE FORÇA 5 ● MATERIAL MAIS LEVE



STX

	#6	#4	#3	#2	#1	#1/0	#2/0	#3/0
STX-58	0.64g	0.91g	1.14g	1.46g	2.21g	3.03g	4.14g	5.76g
ST-56	0.7g	0.92g	—	1.41g	2.14g	2.94g	3.9g	5.96g


	#6	#4	#3	#2	#1	#1/0	#2/0	#3/0
STX-58	8.77kg	10.01kg	11.56kg	14.66kg	16.16kg	23.40kg	29.60kg	38.07kg
ST-56	7.5kg	8.84kg	—	12.99kg	14.32kg	21.04kg	26.10kg	34.12kg

ST-66 STRINGER TREBLE

5658 TIN



POWER CLASS 6 **STB**



EX FINE	FINE	MEDIUM	HEAVY	EX HEAVY
CATEGORIA 1	CATEGORIA 2	CATEGORIA 3	CATEGORIA 4	CATEGORIA 5
ST-11 ST-1.56	ST-26TN	ST-31 STBL-31TN ST-36BC STBL-36BC	ST-41TN STBL-41TN ST-46 STBL-46TN ST-47TN	ST-56 STBL-56 ST-66 STBL-66 STX-58 STX-68
				CATEGORIA 6
				CATEGORIA 7
				ST-76


OWNER[®]

PERFECTION IN HOOKS

Cultiva[™]

PRODUCED BY OWNER

5112 SAFETY CAPS for TREBLE HOOK



Please dry hooks well after washing




CAP SIZE		OWNER TREBLE SIZE
3S	PINK	#18, #16, #14, #12
SS	ORANGE	#12, #10, #8
S	GREEN	#8, #6, #5 #4
M	PURPLE	#4, #3, #2, #1
L	YELLOW	#1, #1/0, #2/0
2L	GREEN	#2/0, #3/0, #4/0, #5/0



5197 UV GLOW SOFT BEADS

MIÇANGA SILICONE GLOW e UV



WATER PROF (BONÉ À PROVA D'ÁGUA)



Breathatec

透湿防水素材「ブリザテック」は、生地表面は水をはじき、撥水・防水性能と、内部に滞留した湿気を外部に放散する性能を兼ね備えた高機能素材です。

【多孔隙の裏り水滴を逃がす、湿気を逃す】

OUTSIDE

特殊多孔隙膜

生地部

■二層構造の拡大写真 ※拡大倍率×200

【メカニズム】

生地部

特殊多孔隙膜

汗

水蒸気

前後に開け閉めできるキャップストラップ

OWNER

PERFECTION IN HOOKS

Cultiva

PRODUCED BY OWNER

LIGHT MESH GLOVE

9653



3 CORTES

S

TAMANHO 5
CORES EM DESTAQUE
ROSA
VERMELHO

M

L

LL

9654



5 CORTES

M

L

LL

MESH GLOVE (NEOPRENE)

9643



5 CORTES

M

L

9642



3 CORTES

M

L

GAME GLOVE

9918



WHITE

BLACK

RED

BLUE

SIZE M
SIZE L
SIZE LL

SIZE M

SIZE XXL

SIZE 4L

GAME GLOVE



CASTING FINGER GUARD

9649

Best for casting with Braided line

4 CORTES

M

L



FT-01 TESOURA PE

MULTIFILAMENTO

59668 | MODEL NO. 5000-006



GP-01 ALICATE PLIERS

9727

GP 1

BLACK / OWNER

GP 2

RED / CULTIVA



GP-60 SPLIT RING TOOL ALICATE PARA ARGOLA

89672

ABRIDOR DE SPILIT RING

CORTADOR DE LINHA

MATERIAL RESISTENTE A CORROSAO

DESEMBARAÇADOR DE LINHA

Para:linhas Multi

Para:linhas Mono

CABO ANTI-DERRAPANTE

PRENDEDOR DE SEGURANÇA




#7~#11

split ring size

FT-22 PLASTIC PINSET

81145

FT 1	ROSA - VERDE
FT 2	AMARELO - AZUL



GEX ALUMINIUM PLIERS


- Construção em Alumínio
- Garras em Aço Inoxidável
- Cortador de Linhas PE e Multifilamentos em Carboneto de Tungstênio HRC 70+
- Tamanho 7"
- Split Ring # 2



SILVER

RED

GEX CORTADOR EM TUNGSTÊNIO (CUTTERS)



Cortador em Tungstênio (CUTTERS) – GEX
 Cortador em Tungstênio, repositores do cortador do Alicate GEX.
 Somente deverá ser utilizado para cortar linhas de Multifilamento.
 Se encaixa somente no modelo GEX.

81082 CABRESTO LILIAN - 3M

VERDE ROSA



81061 SINALIZADOR - 6M

VERDE LARANJA ROSA




HH-01 HOOK HOLDER

81064


S 6~12mm
M 10~16mm



5187 / P-10 CROSSLOCK SNAP



72820 - P-20 TAIRIKI SNAP




72827 / P-27 SNAP DE ENGATE RÁPIDO

LIGHT GAME



72815 / P-15 SILENT QUICK SNAP



52803 / P-03 SPLIT RING REGULAR WIRE (BC/GOLD)



5196 / P-12 SPLIT RING HYPER WIRE




4180 / P-25 SPLIT RING ULTRA WIRE



- Heaviest split ring
- Ideal for big game fishing such as Tuna, GT, and King fish


	3	4	5	6	7	8	9	10	11
Single	75 lb	90 lb	110 lb	150 lb	215 lb	240 lb	320 lb	370 lb	420 lb
Double	125 lb	150 lb	185 lb	250 lb	365 lb	405 lb	540 lb	625 lb	695 lb
WT	0.24g	0.32g	0.41g	0.6g	0.77g	1.12g	1.57g	2.35g	3.3g

4185 OVAL SPLIT RING



OVAL SPLIT RING (4185)			
MODEL	SIZE	QUANTIDADE	LIBRAS/KILOS
4185-011	1	20	24 lb / 10.8 kg
4185-021	2	20	45 lb / 20.4 kg
4185-031	3	20	53 lb / 24.0 kg
4185-041	4	20	88 lb / 39.9 kg

4186 TEAR DROP SPLIT RING



TEAR DROP SPLIT RING (4186)			
MODEL	SIZE	QUANTIDADE	LIBRAS/KILOS
4186-011	1	10	22 lb / 10.0 kg
4186-021	2	10	39 lb / 17.7 kg
4186-031	3	10	45 lb / 20.4 kg
4186-041	4	8	55 lb / 24.9 kg

5195 / P-14 SOLID RING



- Unbreakable solid ring

Size	3.5	4.0	5.0	6.0	6.5	7.5	9.0
Weight	80lb	80lb	150lb	220lb	300lb	450lb	900lb
WT	0.15g	0.16g	0.19g	0.35g	0.37g	0.62g	1.3g

52480 CRANE OYAKO SWIVEL


BLACK CHROME



1X2



Test / kg

55



52481 CRANE SWIVEL


BLACK CHROME



52445 / KS-11 KING STAINLESS SWIVEL


MATT BLACK

- 100% stainless made swivel
- Stealth matt black color




52567 HOOKED SNAP SWIVEL

BLACK CHROME




SIZE	STRENGTH
1	Approx. 46kg
3	Approx. 36kg
4	Approx. 36kg
6	Approx. 30kg
8	Approx. 21kg
10	Approx. 21kg
12	Approx. 20kg
14	Approx. 20kg
16	Approx. 11kg





52457 W CRANE SWIVEL

BLACK CHROME





5081 MICRO HYPER SWIVEL-BARREL TYPE

BLACK CHROME



5158 BALL BEARING SWIVEL

BLACK CHROME



LIGHT GREEN BROAD

NYLON

- 100% Composição de nylon Polycaproamida 6º geração e de baixa memória
- Acabamento com resina que repele a água aumentando a durabilidade e arremesso suave
- Tratado com Fluorine

100MTS	MM	0.06	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26	0.28	0.30	0.33	0.37	0.40	0.45	0.50
X	Kgrs	0.4	0.7	1.0	1.5	2.2	2.7	3.1	4.0	4.3	5.0	6.2	7.2	8.4	9.4	11.8	13.0	15.0	20.0
10 CARRETÉIS CONECTADOS	LBS	0.9	1.6	2.2	3	5	6	7	9	9.6	11	14	16	19	21	26	29	33	40
150MTS	MM	-	-	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26	0.28	0.30	0.33	0.37	0.40	0.45	0.50	0.60
	Kgrs	-	-	1.5	2.2	2.7	3.1	4.0	4.3	5.0	6.2	7.2	8.4	9.4	11.8	13.0	15.0	20.0	24.0
	LBS	-	-	3	5	6	7	9	9.5	11	14	16	19	21	26	29	33	40	48
300MTS	MM	-	-	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26	0.28	0.30	0.33	0.37	0.40	0.45	0.50	0.60
	Kgrs	-	-	1.5	2.2	2.7	3.1	4.0	4.3	5.0	6.2	7.2	8.4	9.4	11.8	13.0	15.0	20.0	24.0
	LBS	-	-	3	5	6	7	9	9.6	11	14	16	19	21	26	29	33	40	48



BLUE BROAD BLUE EYE

NYLON

- 100% Composição de nylon Polycaproamida 6º geração e de baixa memória
- Acabamento com resina que repele a água aumentando a durabilidade e arremesso suave
- Tratado com Fluorine

150MTS	MM	-	-	-	0.12	0.14	0.16	0.18	0.20	0.24	0.26	0.28	0.30	0.33	0.37	0.40	0.45	0.50	0.60
	Kgrs	-	-	-	1.5	2.2	2.7	3.1	4.0	5.0	6.2	7.2	8.4	9.4	11.8	13.0	15.0	20.0	24.0
	LBS	-	-	-	3	5	6	7	9	11	14	16	19	21	26	29	33	40	48
300MTS	MM	-	-	0.10	0.12	0.14	0.16	0.18	0.20	0.24	0.26	0.28	0.30	0.33	0.37	0.40	0.45	0.50	0.60
	Kgrs	-	-	1.0	1.5	2.2	2.7	3.1	4.0	5.0	6.2	7.2	8.4	9.4	11.8	13.0	15.0	20.0	24.0
	LBS	-	-	2	3	5	6	7	9	11	14	16	19	21	26	29	33	40	48



SILVER BROAD SILVER EYE

NYLON

- 100% Composição de nylon Polycaproamida 6º geração e de baixa memória
- Acabamento com resina que repele a água aumentando a durabilidade e arremesso suave
- Padrão oficial de competição ISO 2062-12081

300MTS	MM	-	-	-	-	-	0.16	0.18	0.20	0.24	0.26	0.28	0.30	0.33	0.37	0.40	0.45	0.50	0.60
	Kgrs	-	-	-	-	-	2.7	3.1	4.0	5.0	6.2	7.2	8.4	9.4	11.8	13.0	15.0	20.0	24.0
	LBS	-	-	-	-	-	6	7	9	11	14	16	19	21	26	29	33	40	48



WEED GREEN BROAD GAMEPRO

NYLON

- 100% Composição de nylon Polycaproamida 6º geração e de baixa memória
- Mais macia e elástica
- Padrão oficial de competição ISO 2062-12081



300MTS	MM	0.16	0.18	0.20	0.22	0.24	0.28	0.30	0.32	0.34	0.38	0.42
	Kgrs	1.75	2.56	2.93	3.24	4.35	5.23	5.96	6.30	7.89	10.10	11.80
	LBS	3.8	5.6	6.4	7.1	9.6	11.5	13.1	13.9	17.4	22.2	26.0



YELLOW BROAD GAMEPRO

NYLON

- 100% Composição de nylon Polycaproamida 6º geração e de baixa memória
- Mais macia e elástica
- Padrão oficial de competição ISO 2062-12081



300MTS	MM	0.16	0.18	0.20	0.22	0.24	0.28	0.30	0.32	0.34	0.38	0.42
	Kgrs	1.75	2.56	2.93	3.24	4.35	5.23	5.96	6.30	7.89	10.10	11.80
	LBS	3.8	5.6	6.4	7.1	9.6	11.5	13.1	13.9	17.4	22.2	26.0





SUPER CLEAR HQ SHOCK LEADER FLUORO CARBON

- 100% Polyetileno de alta tenacidade
- Para todas as modalidades

50MTS	MM	0.378	0.478	0.535	0.586
	Kgrs	9.0	14.0	17.7	21.0
	LBS	20	30	38	45



SUPER CLEAR HQ SHOCK LEADER NYLON MONOFILAMENT

- Material em Nylon, tornando o leader um pouco mais elástico, ideal para pescas de superfície e poppers.

50 MTS	MM	0.387	0.492	0.549	0.614
	Kgrs	10.8	17.7	21.9	25.6
	LBS	24	38	48	56



ORANGE FLASH HQ PE BRAID 8X POLYETILENO

- 100% Polyetileno de alta tenacidade 8 fios
- Para todas as modalidades

200MTS	MM	0.216	0.242	0.300	-	-
	Kgrs	9	11	15.5	-	-
	PE	1.5	2	3	-	-
	LBS	20	25	35	-	-
300MTS	MM	-	-	0.300	0.342	0.382
	Kgrs	-	-	15.5	21.0	24.0
	PE	-	-	3	4	5
	LBS	-	-	35	45	55



FOREST GREEN HQ PE BRAID POLYETILENO

- 100% Polyetileno de alta tenacidade 4 fios
- Para todas as modalidades

100MTS	MM	0.12	0.15	0.18	0.20	0.23	0.25	0.30	0.34
	Kgrs	3.6	4.6	6.8	7.8	8.4	10.0	13.0	18.0
	LBS	8	10	15	17	20	27	35	45



GREY SMOOTH BRAID POLYETILENO

- 100% Polyetileno de alta tenacidade 4 fios
- Para todas as modalidades

150MTS	MM	0.13	0.15	0.20	0.24	0.30	0.33	0.33
	Kgrs	4.47	5.82	8.10	10.24	11.68	15.48	20.89
	LBS	10	15	20	25	30	35	40
300MTS	MM	-	-	-	0.24	0.30	0.33	0.33
	Kgrs	-	-	-	10.24	11.68	15.48	20.89
	LBS	-	-	-	25	30	35	40



AMARELO LIMÃO Broad PE X8 KIZUNA POLIETILENO

- Fibra da mais alta qualidade (IZANAS);
- Trançado único e exclusivo (ALB construction);
- 100% Fabricado no Japão;
- Força - Mais alto nível de força em tensão e resistência à abrasão;
- Menos cabeleira - Excelente flexibilidade;
- Maior distância de arremesso - mais leve e maior fluutuabilidade.


BROAD PE 8X KIZUNA CHARTREUSE (LIMÃO)								
150 YARD	PE	1.5	2.0	2.5	3.0	4.0	5.0	
	LBS	20	26	34	38	49	60	
135 MTS	MM	0.17	0.19	0.21	0.25	0.29	0.33	
	Kgrs	9.2	11.9	15.3	17.2	22.3	27.2	



VERDE MUSGO Broad PE X8 KIZUNA POLIETILENO

- Fibra da mais alta qualidade (IZANAS);
- Trançado único e exclusivo (ALB construction);
- 100% Fabricado no Japão;
- Força - Mais alto nível de força em tensão e resistência à abrasão;
- Menos cabeleira - Excelente flexibilidade;
- Maior distância de arremesso - mais leve e maior fluutuabilidade.


BROAD PE X8 KIZUNA GREEN IN THE DARK (VERDE MUSGO)									
300 YARD	PE	1.5	2.0	2.5	3.0	4.0	5.0	6.0	
	LBS	20	26	34	38	49	60	72	
275 MTS	MM	0.17	0.19	0.21	0.25	0.29	0.33	0.36	
	Kgrs	9.2	11.9	15.3	17.2	22.3	27.2	32.0	



MULTI COLOR Broad PE X8 KIZUNA POLIETILENO

- Fibra da mais alta qualidade (IZANAS);
- Trançado único e exclusivo (ALB construction);
- 100% Fabricado no Japão;
- Força - Mais alto nível de força em tensão e resistência à abrasão;
- Menos cabeleira - Excelente flexibilidade;
- Maior distância de arremesso - mais leve e maior fluutuabilidade.

BROAD PE X8 KIZUNA MULTI COLOR (MULTI COLOR)										
330 YARD	PE	1.5	2.0	2.5	3.0	4.0	5.0	6.0	8.0	
	LBS	20	26	34	38	49	60	72	89	
300 MTS	MM	0.17	0.19	0.21	0.25	0.29	0.33	0.36	0.42	
	Kgrs	9.2	11.9	15.3	17.2	22.3	27.2	32.0	40.0	




RM-65SP (MS-65)

MIRA BAIT 65 / RIP'N MINNOW 65


SUSPEND



6.5cm / 6g



UV-ULTRA VIOLETA



RM-65F (MS-65)

MIRA BAIT 65 / RIP'N MINNOW 65


FLOATING



6.5cm / 6g



UV-ULTRA VIOLETA



MS-50 SP

MIRA SHAD 50

SUSPEND



5cm / 4g



MIRA SHAD 50-50SP
2.5x3.0cm / Weight 4.0g



DM-70 SP (RM-70SP)

DEEP MIRA/RIP'N MINNOW 70

SUSPEND **SP** 7cm / 6.3g

Qty/box **6** SUSPEND **SP** HOOK **ST-36BC #6 (F)•#8 (R)**



CTM-85F

CT MINNOW 85

FLOATING **F** 8.5cm / 8.6g

HOOK **ST-36BC #6**



04 MACKEREL HOLD 08 BREAM 31 HOLO AYU 34 CHART SHAD CLEAR 59 PERCH



BB-48F (DS-48F)


DEMETTA SHALLOW / BUG EYE BAIT

FLOATING **F** 4.8cm / 6.5g

HOOK **ST-36BC 8(F)•#10(R)**



Crank de superfície a até 30cm de mergulho. Aparência de sapo de movimentos rápidos. Incluindo "Olhos Vivos", rattling como sistema de balanceamento.



TD-95 TANGO DANCER 95 FLOATING **F** 9.5cm / 11g



U.S.A.
逆輸入モデル



TD-115 TANGO DANCER 115 FLOATING **F** 11.5cm / 25g



U.S.A.
逆輸入モデル

SS-80S SAVOY SHAD 80S SINKING **S** 8cm / 15g



RM-90 RIP'N MINNOW 90 FLOATING **F** 9cm / 7g



50



SINKING

MV-60S MIRA VIBE 60 **S** 6cm / 9g

HOOK
ST-36BC
#6



02 BLACK PEARL



06 SHINER



08 FIRE TIGER



13 BABY BASS



24 CHARTREUSE



36 PEARL WHITE



59 PERCH



60 HOT BASS




61 OIL BLACK



62 TANAGO

Isca artificial sem barbelas, crankbait com rattling diferenciado "super-sonic", composto por diversas micro esferas, originando um ruído mais vibrante.



ZZ-80 GOBO PENCIL / ZIP'N ZIGGY 80 TOP WATER TYPE 8cm / 7.5g

HOOK
ST-31
#6#8



01



02



06



11



12



13



47



56

Isca artificial de superfície "Top Water" de ação principal "Zara", ou seja, faz um trabalho em zig zag, podendo também trabalhar em stick quando alternada o peso maior para a parte traseira da isca.

ZZ-80 GOBO PENCIL / ZIP'N ZIGGY 80 TOP WATER TYPE 8cm / 7.5g



06



12



18



56



71



34



Isca artificial sutilmente modificada para trabalho em stick a partir da versão original da Gobo Pencil. Com uma garatêia maior na parte de trás, fazendo com que a isca fique com a cabeça para fora da água.

UV-ULTRA VIOLETA




50



95



95 - ORANGE HEAD



95 - ORANGE HEAD

95 - ORANGE HEAD

RM-112F

SAVOY MINNOW 112F

FLOATING

F

112mm / 19g



06 SHINER

12 CHARTREUSE BACK

15 BLUE BACK

18 RED HEAD

34 NATURAL CHEART



Shiner Shinn SS-805
size 8.0cm weight 14.0g
SET-94-114



49 MUDDY OLIVE

67 GHOST

68 BLACK SHINER

69 BLACK RAINBOW




AB-01 EBI BAIT

82586




5594 / YB-85 YUKI BUG 3.3" - 85mm

5595 / YB-110 YUKI BUG 4.3" - 110mm



5587 / JRM-88 JR MINNOW 3.5" - 88mm



5591 / JRM-113 JR MINNOW 4.5" - 113mm



5586 / JRS-82 JR SHAD 3.2" - 82mm



4147 - RJ-10 COMPACT STRUCTURE JIG



01 Red Craw



03 Natural Shad



04 Black Blue

Model No.	PESO	Anzol	Cor
4147-043-01	1/4oz-7grs	3/0	
4147-063-01	3/8oz-10grs	3/0	Red Craw
4147-084-01	1/2oz-13grs	4/0	
4147-043-03	1/4oz-7grs	3/0	
4147-063-03	3/8oz-10grs	3/0	Natural Shad
4147-084-03	1/2oz-13grs	4/0	
4147-043-04	1/4oz-7grs	3/0	
4147-063-04	3/8oz-10grs	3/0	Black Blue
4147-084-04	1/2oz-13grs	4/0	



GJA-40 | 40g GEKITO AERO JIG

GJA-60 | 60g

GJA-80 | 80g




ESQUELETO REFORÇADO EM AÇO

TAFF BONE

GJUS-60 | 60g GEKITO JIG ULTRA SLOW

GJUS-80 | 80g



REAR

SIDE

SECTION